

# Windows Controls

- ✗ Allow user to display/select data in standard ways
- ✗ Windows Environment does most of work in:
  - painting/updating a Control's screen area
  - determining what user is doing
- ✗ Can do the "dirty work" for the main window
- ✗ Often used as input devices for parent window
- ✗ Are the "working components" of Dialog Boxes
- ✗ Windows OS contains each control's "**WndProc**"
  - so messages to controls are processed in predefined way
- ✗ Parent/child relationship with main window
  - Can have hierarchies of child windows
  - Parent and child communicate by sending/receiving messages
- ✗ Have been part of Windows since the first versions
- ✗ Roster has grown from six basic ones to an assortment of 20+ rich and varied controls

## Child Window Controls

- ✗ Windows created by a parent window
- ✗ An app uses them in conjunction with parent
- ✗ Normally used for simple I/O tasks
- ✗ Have a look and feel consistent with other application Windows
- ✗ Properties, appearance, behavior determined by predefined class definitions
  - But behavior can be customized
  - Easy to set them up as common Windows objects
    - ✗ buttons, scroll bars, etc.
- ✗ Can also define custom Child Window Controls

## Some .NET Control Classes

- ✗ Button
- ✗ Label (Static)
- ✗ GroupBox
- ✗ Panel
- ✗ CheckBox
- ✗ RadioButton
- ✗ HScrollBar
- ✗ VScrollBar
- ✗ TextBox (Edit)
- ✗ PictureBox
- ✗ ListView
- ✗ ComboBox
- ✗ StatusBar
- ✗ TabControl
- ✗ ToolBar

- ✗ ToolTip
- ✗ CheckedListBox
- ✗ DataGridView
- ✗ DataGridViewTextBox
- ✗ DateTimePicker
- ✗ LinkLabel
- ✗ ListView
- ✗ MonthCalendar
- ✗ NumericUpDown -- spinner buttons
- ✗ ProgressBar
- ✗ PropertyGrid
- ✗ RichTextBox
- ✗ TrackBar
- ✗ TreeView
- ✗ Others

## Creating a Control

- ✗ To create a control and make it appear on a form:
  1. Declare and Instantiate the control class

```
Button myButton;  
myButton = new Button();
```
  2. Initialize the control by setting its properties

```
myButton.Location = new Point(10,10);  
myButton.Text = "Click Me";  
myButton.BackColor = Color.Red;  
    // etc.
```
  3. Attach the control to the form (add to parent's collection of controls) ...

## Attaching Controls to a Parent Form

- Assume we want to add myButton and myLabel controls to "this" form
- Three ways of doing it (assume we've instantiated the controls myButton and myLabel):
  1.

```
myButton.Parent = this;
myLabel.Parent = this;
```
  2.

```
this.Controls.Add(myButton);
this.Controls.Add(myLabel);
```
  3.

```
this.Controls.AddRange(new Control[] {myButton, myLabel});
```


    - Done automatically by the Visual Studio Designer when you "drag" controls onto the form

## Some Control Properties/Methods

- Common properties and methods
  - Derive from class Control
  - Text property
    - Specifies the text that appears on a control
  - TextAlign property
    - Alignment of text inside control
  - Focus() method
    - Transfers the input focus to a control
    - Becomes active control
  - TabIndex property
    - Order in which controls are given focus when user tabs
    - Automatically set by Visual Studio .NET Designer
  - Enable property
    - Indicate a control's accessibility and usability


- Visible property
  - Hide control from user
    - Or use method Hide()
- Anchor and Dock properties
  - Anchoring control to specific location
    - Constant distance from specified location
    - Default in Designer is Top-Left
  - Unanchored control moves relative to former position
  - Docking allows control to spread itself along an entire side
  - Both options refer to the parent container
- Size property
- BackColor, ForeColor properties
- Image, ImageAlign, BackgroundImage properties

## Control Properties and Layout




Anchoring demonstration

## Control Properties and Layout



Manipulating the **Anchor** property of a control.

## Control Layout



Docking demonstration.

## Control Events

- >All controls derive from `System.Windows.Forms.Control`
  - All inherit 50+ public events
  - Some common ones:

Event	Event argument
Click	EventArgs
DoubleClick	EventArgs
ControlAdded	ControlEventArgs
ControlRemoved	ControlEventArgs
Enter	EventArgs
Leave	EventArgs
Move	EventArgs
Paint	PaintEventArgs
Resize	EventArgs
SizeChanged	EventArgs
- Event handling done as with Form events

## Adding a Button Click Event Handler

- The Button Click Event Delegate is `EventHandler()`
- ```
myButton.Click += new EventHandler(myButton_Click);  
...  
private void myButton_Click(object sender, System.EventArgs e)  
{  
    // Add handler code here  
}
```
- This code is inserted automatically when you use the Visual Studio Designer Properties Window to add a Click event handler
  - Or double click on the Control in Visual Studio Designer

## Button Controls

- Rectangular objects, often with labels
- Intended to trigger an immediate action
  - Action is triggered by clicking mouse on button
  - Or pressing space bar if it has the input focus
- Some important Button properties:
  - Location, Size, BackColor, ForeColor, Cursor, Name, Text, TextAlign, Font, Image, ImageAlign, BackgroundImage, TabIndex,
  - Lots of others

## Label Controls

- Controls designed for the display of static text
  - Called Static controls in Win32
  - User can't change the text
    - Can be changed in code
- Can also display graphics
- Have many of the same Properties as Buttons
- Can respond to events, but not really meant to do that

## Button-Label Example Program

- Form has a Button control with Text: "Click Me"
- Form has a Label control that displays "Hello World" when button is clicked
  - In response to the button's Click event
- Can be prepared manually from Visual Studio
  - Programmer must write code to instantiate the controls, attach them to the parent form, set up all their properties, and add the Button Click event handler
- Easier to use the Visual Studio Designer
  - Drag a button and label control from the toolbox to the form
    - Controls are automatically instantiated & "attached" to the form
    - Change the Properties of each in the Property window of each
    - Add the Button Click handler by double clicking on the button
      - Or using the Button's Properties window (lightning bolt)
    - Add the following code in the skeleton handler
  - `label1.Text = "Hello World";`

## Buttons with Images

- Button class has an Image Property
  - Set that property to display an image on background of the button
- Can be used in conjunction with Text Property
  - Text displayed on top of the image
- Make sure image fits in the button
  - Can use `Image.GetThumbnailImage(...)` to resize the image
    - Arguments: int w, int h, Image.GetThumbnailImageAbort gt, IntPtr p);
    - Last two can specify a callback function & data – usually set to null and (IntPtr)0
    - Returns the thumbnail image
  - This can be used as a general image resizing function
  - Alternatively, make the button the size of the image
    - Change the button's Size property
- Example Program: [Button-Image](#)
  - Does same as Button-Label, but now button has an image on it

## GroupBox and Panel Controls

### Arrange components on a GUI

- **GroupBoxes** can display a caption
  - ↳ Almost always contain other controls
    - Radio Buttons are very common
  - ↳ Text property determines its caption
- **Panels** are used to group other controls against a background
  - ↳ Useful when you need a control that doesn't do much
  - ↳ If contents of panel take up more space than panel itself, attached scrollbars can automatically appear
    - So user can view additional controls inside the Panel


## GroupBox Control Properties

| GroupBox Properties      | Description                                                             |
|--------------------------|-------------------------------------------------------------------------|
| <i>Common Properties</i> |                                                                         |
| <b>Controls</b>          | The controls that the <b>GroupBox</b> contains.                         |
| <b>Text</b>              | Text displayed on the top portion of the <b>GroupBox</b> (its caption). |

## Panel Control Properties

| Panel Properties          | Description                                                                                                  |
|---------------------------|--------------------------------------------------------------------------------------------------------------|
| <i>Common Properties</i>  |                                                                                                              |
| <b>AutoScroll</b>         | Whether scrollbars appear when the Panel is too small to hold its controls. Default is false.                |
| <b>BorderStyle</b>        | Border of the <b>Panel</b> (default <b>None</b> ; other options are <b>Fixed3D</b> and <b>FixedSingle</b> ). |
| <b>Controls</b>           | The controls that the Panel contains.                                                                        |
| <b>Panel properties</b> . |                                                                                                              |

## Panels



Creating a **Panel** with scrollbars.

## GroupBox-Panel Example Program

- ↳ Organizes one group of buttons in a **GroupBox**
  - **GroupBox** is labeled
- ↳ Organizes another group of buttons in a **Panel** that is too small to view its buttons
  - **AutoScroll** Property is set => Scroll bars automatically appear to permit user to view all the buttons inside the **Panel**
- ↳ Clicking any button causes a label control to indicate which button was clicked

## Scroll Bars

- ↳ Used everywhere in GUIs
- ↳ Two purposes:
  - To shift ("scroll") the visible area of a form/control
    - ↳ Scroll bar is attached to the control/form
    - ↳ Set parent form/control's **AutoScroll** Property to true
  - To vary a parameter
    - ↳ standalone scroll bar
- ↳ Scroll bar Properties that can be read/modified:
  - **Size** and **Location** on parent control/form
  - Range: **Maximum** and **Minimum** thumb position
  - Current **Value** of thumb position
  - Change values
    - ↳ **SmallChange**: Value change when user clicks on end arrows
    - ↳ **LargeChange**: value change when user clicks on area between end arrows and thumb

## ScrollBar Events

- Two events raised by ScrollBar controls
  - ValueChanged -- Data: EventArgs
    - Raised when Value property has changed, either by a Scroll event or programmatically
  - Scroll -- Data: ScrollEventArgs
    - Raised when scrollbar thumb has been moved, either by mouse or keyboard
    - Provides information about the event, including the new value and type of event
    - Scroll Event provides more information than ValueChanged
    - Some ScrollEventArgs Properties:
      - Int Value
      - ScrollEventType Type
        - Enumeration Members: SmallDecrement (L or T arrow), SmallIncrement(R or B), LargeDecrement (L or T areas), LargeDecrement(R or B), ThumbTrack (Thumb down), ThumbPosition (thumb up), EndScroll (scroll operation done), Others

## Scroll-Image Example

- Add standalone horizontal and vertical scrollbars to main form
  - Position horizontal one along bottom of form
  - Vertical one on right side, leaving space on right for 2 label controls
- Control the position of an Image with the scrollbars
- Label controls show current position (x,y) of image
- Events:
  - Paint: draw image in its new position
  - Scroll of horizontal scrollbar: set new x value of image position, change label1's text to current scrollbar Value, & repaint
  - Scroll of vertical scrollbar: set new y value of image position, change label2's text to current scrollbar Value, & repaint
  - Resize: reposition scrollbars and reset their Maximum values

## Radio Buttons & Check Boxes

- Both are predefined "state" buttons that allow user to select or deselect a given option
  - Can be set to "on" or "off" (selected/unselected) state
  - For each, the Checked Property is set to True if button is unselected and True if selected
  - If AutoCheck property is true, state toggles when user clicks
- Radio Buttons
  - Almost always used in a group box from which only one button in the group can be selected at a time
    - Mutually exclusive options
    - They are all children of the group box ... which is a child of the form
  - Displayed as little circles
    - Selected circle has a dot inside
- Check Boxes
  - If enclosed in a group box, any number of them can be selected
  - Displayed as little boxes
    - Selected boxes have check marks in them

## Some CheckBox Properties and Events

| CheckBox events and properties | Description / Delegate and Event Arguments                                                                                                                                       |
|--------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <u>Common Properties</u>       |                                                                                                                                                                                  |
| Checked                        | Whether or not the <b>CheckBox</b> has been checked.                                                                                                                             |
| CheckState                     | Whether the <b>CheckBox</b> is checked (contains a black checkmark) or unchecked (blank). An enumeration with values <b>Checked</b> , <b>Unchecked</b> or <b>Indeterminate</b> . |
| Text                           | Text displayed to the right of the <b>CheckBox</b> (called the label).                                                                                                           |
| <u>Common Events</u>           |                                                                                                                                                                                  |
| CheckedChanged                 | Raised every time the <b>CheckBox</b> is either checked or unchecked. Default event when this control is double clicked in the designer.                                         |
| CheckStateChanged              | Raised when the <b>CheckState</b> property changes.                                                                                                                              |

## Some RadioButton Properties & Events

| RadioButton properties and events | Description / Delegate and Event Arguments                                                                                           |
|-----------------------------------|--------------------------------------------------------------------------------------------------------------------------------------|
| <u>Common Properties</u>          |                                                                                                                                      |
| Checked                           | Whether the <b>RadioButton</b> is checked.                                                                                           |
| Text                              | Text displayed to the right of the <b>RadioButton</b> (called the label).                                                            |
| <u>Common Events</u>              |                                                                                                                                      |
| Click                             | Raised when user clicks the control.                                                                                                 |
| CheckedChanged                    | Raised every time the <b>RadioButton</b> is checked or unchecked. Default event when this control is double clicked in the designer. |

## Radio-Check Example Program

- Draws open or filled rectangles of different colors
- A 'Color Selection' group box containing radio buttons allows user to select a color
- A 'Fill Rectangle' check box determines whether the rectangle is filled or not