

## Timers, Animation, Images, Bitmaps

### Windows Timer

- Input device that periodically notifies an application each time a specified time interval has elapsed
- Using a timer guarantees that a program can regain control periodically
- Three different Timer classes in:
  - System.Timers
  - System.Threading
  - System.Windows.Forms
- We'll use the last one – The same one that is available in Win32 API and MFC
  - It's integrated with other Windows events and is easiest to use

### Timer applications

- Implementing a clock
- Multitasking
- Maintaining updated status report
- Implementing autosave feature
- Terminating demo versions of programs
- Activation of a screen saver after certain time
- Pacing movement – [animation](#)
- Others

### The Timer Class

- Creating a Timer object:  
`Timer timer = new Timer();`
- Timer class has one event:
  - Event: Tick
  - Delegate: EventHandler
  - Defining a Timer Tick event handler:  
`void TimerOnTick(object obj, EventArgs ea) { ...};`
  - Attaching it to the Tick event:  
`timer.Tick += new EventHandler(TimerOnTick);`
- Timer read/write Properties:  
int Interval, Tick time in milliseconds  
bool Enabled, True if timer is running
- Timer Methods:  
`void Start();`  
`void Stop();`

### Some Timer Examples

- CloseInTen:
  - A program that sets a “one-shot” timer that closes the application after ten seconds
  - Could be used to implement a “demo” version of a program that allows the user to try it for a while
  - Note use of obj argument in TimerOnTick() handler to get the timer that sent the message
    - Or simply declare a class-level timer in the Form class
- RandomRectangles-timer:
  - Draws a new random rectangle once every 2 seconds
    - We must use CreateGraphics() to create a Graphics object to draw with
- Note that a timer can be programmed manually...
- Or by using the Designer
  - Just drag a timer into the Form and double click on it to add the Timer Tick event handler
  - Set the Enabled and Interval properties in the Properties window

### Animated Graphics

- Creating a moving picture
  - Give illusion of motion by continual draw/erase/redraw
  - If done fast, eye perceives moving image
- In a single-user (DOS) application, we could do the following:

```
Do Forever
{
    // compute new location of object
    // erase old object image
    // draw object at new location
}
```

- In Windows, other programs can't run while this loop is executing
- Need to keep giving control back to Windows so other programs can operate
- Ways of doing it:
  - Use PeekMessage() Loop -- (for Win32 API)
  - Override OnIdle() -- (for MFC)
  - Use a Windows Timer (any Windows platform)
    - Erase old frame and draw new frame each time there is a timer 'tick' event

### **Bouncing Ball Example Program**

- Draws a red ball that moves inside window's client area at a given velocity and bounces off its borders
- Responds to form's Resize event to reset ball's position when window is resized
- Responds to Timer Tick event to draw next animation frame
- Class level variables (accessible to all class methods):
  - xC, yC: current coordinates of ball's center
  - xDelta, yDelta: x,y components of velocity
  - iXSize, iYSize: dimensions of window's client area
- Helper function DrawBall()
  - Uses the Form's CreateGraphics() method to get a Graphics object
  - Draws BackColor ellipse in old position and red one in new posn.
    - After each timer tick and after window is resized
  - Checks for collisions with sides of window and adjusts ball's path

### **DateTime Structure in .NET**

- To keep track of time and date
- Some Constructors:
  - DateTime(int year, int month, int day);
  - DateTime(int year, int month, int day, int hour, int minute, int second);
  - DateTime(int year, int month, int day, int hour, int minute, int second, int msec);
  - year: 1-9999, month: 1-12, day: 1-#days in month, hour: 0-23, minute: 0-59, second: 0-59, msec: 0-999

### **DateTime Properties**

- Some Read-only Properties
  - Year, Month, Day, Hour, Minute, Second, Millisecond, DayOfWeek, DayOfYear
- An important Static Property
  - Now
    - Returns a DateTime structure filled with current local date and time
    - E.g., to get current date and time:
 

```
DateTime dt = DateTime.Now;
          » dt then contains the current date/time
```

### **Some DateTime Methods**

- string ToString()
  - dt.ToString();
  - Returns something like: "10/1/2004 10:30:01 A.M."
- string ToString(string strFormat)
  - strFormat and returned values:
    - "d" 10/1/2004
    - "D" Friday, October 01, 2004
    - "f" Friday, October 01, 2004 10:30 A.M.
    - "F" Friday, October 01, 2004 10:30:01 A.M.
    - "g" 10/1/2004
    - "G" 10/1/2004 10:30:01 A.M.
    - "m" October 1
    - "t" 10:30 A.M.
    - "u" 2004-10-01 10:30:01

### **A Simple Digital Clock Program (SimpleClock)**

- Uses a one-second timer
- Each timer tick the handler calls Invalidate() to force a Paint message
- Paint handler uses DateTime.Now Property to get a DateTime object containing the exact current time and date
  - The DateTime object's ToString() method converts it to the appropriate string format
  - DrawString() draws the string at the top of the Form's client area

## Images and Bitmaps

- Video display of images described by Images and/or Bitmaps
  - Rectangular arrays of “pixel values” stored in memory
  - Pixel value determines color of a pixel
  - Encapsulated in .NET Image and Bitmap classes
- Can be created and edited with almost any paint program
- Windows supports 4-bit, 8-bit (indirect) and 16 or 24-bit (direct) pixel values
- Can be stored/retrieved as .bmp files
  - Take up lots of space (no compression)
- Other common file formats (some compressed):
  - Jpg, Gif, Png, Tiff

- Can be displayed on a device using `DrawImage()` method of the Graphics object (gr-obj) associated with a device, e.g.:
  - `gr-obj.DrawImage(Image img, int x, int y);`
  - `gr-obj.DrawImage(Image img, point pt);`
  - Lots of other overloads available (as we'll see)
- Can be manipulated invisibly and apart from physical display device
- Fast transfer to/from physical device ==> flicker free animation
- Does not store information on drawing commands
  - Windows Metafiles do that
- You can also draw on an Image or Bitmap
  - Then transfer it to the screen
  - One screen access ==> no flicker in animations

## System.Drawing.Image Class

- An abstract class
  - Can't be instantiated with a constructor
  - But has overloaded static methods that return Image objects that can be displayed
  - Can load an image or bitmap from a file
    - `Image img = Image.FromFile(strFilename);`
    - `Bitmap bmp = (Bitmap)Image.FromFile(strFilename);`
    - Other overloads
  - Once you've loaded an Image, you can use a Graphics object's `DrawImage(img, ...)` to display it

## Two Example Programs

- ImgFromFile
  - Displays a jpg image on the window's client area
    - But what if image file is not in right directory?
    - `FromFile()` method will throw an exception and program will die
    - Our program should be able to catch that exception
  - And do we need to retrieve the image -- i.e. call `FromFile()` -- every time there's a Paint event?
- ImgFromFileBetter
  - Uses a try/catch block to avoid errors
    - Puts up a MessageBox if there is an exception
  - And makes only one call to `FromFile()` in program's constructor
    - Stores the Image in a class level variable so it's accessible to the Paint handler

## Other Image Class & Image Drawing Information

- Some Image Properties (read-only):
  - Size
    - Represents the size of the rectangular image
  - Members: `int Width, int Height`
    - Width and height of the image in pixels
- Other overloads of `DrawImage()` that specify a rectangular destination and/or source region for the image:
  - `DrawImage(Image img, int x, int y, int w, int h);`
    - `x, y` = position; `w` = width, `h` = height of image on destination window
  - `DrawImage(Image img, Rectangle rectDst);`
    - `rectDst` specifies rectangle on window image will be displayed in
      - Some read/write properties of Rectangle class:
        - » `X, Y` Coordinates of upper left hand corner
        - » `Width, Height`
  - `DrawImage(Image img, Rectangle rectDst, Rectangle rectSrc, GraphicsUnit gu);`
    - Arguments:
      - Destination and source Rectangles
      - `GraphicsUnit` enumeration value must be `GraphicsUnit.Pixel`
    - With these we can stretch or compress all or part of an image

## More Image Examples

- ImgCenter
  - Maintains image in center of window's client area
- ImgScaleToWindow
  - Scales image to fit in window's client area
- ImgPart
  - Displays part of image
- ImgPartScale
  - Scales part of image to fit in window's client area

## Rotating & Shearing an Image

DrawImage(Image img, Point[] apt);

- apt is an array of three points:
  - apt[0] = destination of upper left corner of image
  - apt[1] = destination of upper right corner of image
  - apt[2] = destination of lower left corner of image
    - 4<sup>th</sup> point generated automatically completes a parallelogram
- DrawImage(Image img, Point[] aptDst, Rectangle rectSrc, GraphicsUnit gu);
  - aptDst: an array of three points specifying three corners of the image (as in previous DrawImage)
  - rectSrc: source rectangle of original image
  - gu: Source rectangle GraphicsUnit enumeration value
    - Display, Inch, Millimeter, Pixel, Point, etc.
    - Should be GraphicsUnit.Pixel
- Depending on the points in the array, the image will be rotated and/or sheared
- Example Program: ImgAtPoints

## Drawing on an Image

- Up to now we've drawn an image on a Graphics object
  - Refers to the video display
  - The GDI+ is really drawing on a huge bitmap stored in memory
    - This bitmap is associated with the screen's video display adapter
- But we can draw on any bitmap
  - First must get a Graphics object that refers to the image
  - Use Graphics.FromImage(Image img) static method to get it:

```
Graphics g = Graphics.FromImage(img);
```
  - Draw on it with GDI+ drawing functions
  - Display it by getting a screen Graphics object and using one of its DrawImage(img, ...) methods
    - Done typically in Paint handler
  - Must Dispose of image's graphics object after using it

```
g.Dispose();
```
- Example: ImgDrawOn

## "Shadow" Images

- We may want to compose a complex scene off screen - a "shadow bitmap" or "shadow image"
  - Draw on a graphics object that refers to the shadow image as much as you like outside of Paint handler so you're not accessing the physical screen
    - Even draw other images on the shadow image (sprites!)
  - Then in Paint handler (or in response to timer tick), display it with a single call to DrawImage(bitmap, ...)
  - See ImgShadowBitmap example
- Very useful in avoiding flicker in animations
  - "Compose" the next frame in the shadow image
    - Draw all the objects on it first
  - Then draw the "composed" image on the physical screen
    - Thus only one access per frame to the physical screen
  - This technique is called "double buffering"

## Bitmap Class

- Like Image class, but you can do more with it
- Create a blank bitmap of a specified size with constructor:

```
Bitmap b m = new Bitmap(int width, int height);
```
- Used like Image objects in drawing pictures and in double buffering
- Nice for making parts of a sprite "transparent"
  - So there is no rectangular "halo" around the sprite when it is drawn over the background
  - For example for a sprite that has a white background:

```
Bitmap sprite = (Bitmap)Image.FromFile(sprite-file.bmp);  
sprite.MakeTransparent(Color.White);
```
  - Then draw as usual onto a shadow bitmap's graphic object
  - See ImgShadowBitmap2 example

## Garbage Collection

- When using extensive off-screen images, program performance may degrade
  - For example when you create new Graphics objects associated with images/bitmaps every frame of an animation
  - Your application could slow down or even crash!!!
- Problem is the way .NET handles garbage collection
  - Garbage collection: releasing unused memory
  - Done automatically whenever system decides to do it
  - So in applications creating images every time a fast timer times out, garbage collection may not be done frequently enough
  - Even if you're disposing of your graphics objects associated with images, the memory is not being released fast enough
- So what can be done?
  - Force garbage collection
  - Use the GC class Collect static method:

```
GC.Collect();
```
  - Could be done at the end of the timer-tick handler

## Using Images in Resources (a parenthesis)

- Making an image file part of your project so the file doesn't have to be on the computer running the app.
  - Add the image file to the project
    - 'Project' | 'Add Existing Item' and select the image file
  - Embed it in the executable by:
    - In Solution Explorer:
      - Click on the image object
      - In the Properties window change "Build Action" to "Embedded Resource"
    - In code use the Bitmap class constructor:
      - Bitmap(Type type, String resource);
      - GetType() can be used to obtain the type

```
Image img = new Bitmap(GetType(), "flower.jpg");
```
      - Then use the image as usual
  - See ImgEmbedded example program